The Commonwealth Fund 1999 International Health Policy Survey of the Elderly in Five Nations


Accompanies May/June 2000 Health Affairs article

Charts Originally Presented at the 1999 International Symposium on Health Care Policy


Experiences with Health Care: Access and Quality

Access to Needed Medical Care

Percent of the elderly who felt it was "extremely," "very," or "somewhat" difficult to get needed medical care



Percent of the Elderly with No Doctor's Visit in the Past Year




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults


Access to Specialists

Percent of the elderly who felt it was "extremely," "very," or "somewhat" difficult to see a specialist when needed



Long Waits for Nonemergency Surgery


Percent of the elderly who needed nonemergency surgery and waited five weeks or more



Elderly Adults


Long Waits for Surgery Can Be a Serious Problem

Percent of the elderly who needed non-emergency surgery and said waiting a long time was a serious problem




Quality of Care Ratings

Percent of the elderly who rated the medical care they received in the past year as "excellent"



Quality of Care at Doctor's Visits

Percent of the elderly who rated the care received at their most recent doctor's visit as "excellent"




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults


Percent Hospitalized

Percent of the elderly hospitalized in the past year




Quality of Care at the Hospital

Percent of the elderly who were hospitalized in the past two years and rated their overall hospital experience as "excellent"



Availability of Nurses at the Hospital


Percent of the elderly who were hospitalized in the past two years and rated the availability of nurses at the hospital as "excellent"



Elderly Adults


Influence of the Elderly on Their Care¹³ During Hospitalization

Percent of the elderly who were hospitalized in the past two years and said they did not have enough input or say about their treatment during hospitalization




Length of Hospital Stay

Percent of the elderly who were hospitalized in the past two years and said their hospital stay was too short



Receipt of Extra Help After Hospitalization


Percent of the elderly who were hospitalized in the past two years said they did not receive the help they needed when they arrived home from the hospital



Prescription Drugs

Reliance on Prescription Medications


Percent of the elderly who have a medical condition that requires them to take a prescription medication on a regular basis



Elderly Adults

Lack of Coverage for Prescription Medication

Percent of the elderly who say they have no public or private coverage for the cost of prescription medications




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults

Out-of-Pocket Spending on Prescription Medicines


Per month out-of-pocket expenditures for prescription medicine by the elderly



Home Health Care


Perceived Health Status

Percent of the elderly who rated their health as "fair" or "poor"




Disabilities and Health Conditions

Percent of the elderly who have a disability or health condition limiting full participation in daily activities



Need for Assistance with Activities of Daily Living

Percent of the elderly who needed home health or personal care services to help with eating, dressing, bathing, or other needs in the past two years




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults

Caregiving Experience of the Elderly


Percent of the elderly who are currently caring or have in the past two years cared for someone who is frail, sick, or disabled



Elderly Adults


Caregivers' Unmet Need for Assistance

Percent of elderly caregivers who needed home health care assistance for the person they cared for in the past two years and couldn't get it



Caregivers' Ability to Get Additional²⁶ Help


Percent of elderly caregivers reporting they used paid home health care in addition to informal care



Elderly Adults

The Elderly's Ability to Get Additional²⁷ Help


Percent of the elderly in need of care in the home who received some paid home health care



Elderly Adults


Public or Government Program Assistance with Paid Home Health Care

Percent of elderly caregivers reporting paid home care assistance who said a government program or public insurance (rather than family) paid for care




Many Elderly Receive Health Assistance from Their Children

Percent of the elderly with children who "often" receive help from them when they are ill




The Elderly Receive Financial Assistance from Their Children

Percent of the elderly with children who "often" or "sometimes" receive financial support from their children



Children Are a Major Source of Assistance and Caregiving for Their Parents


Percent of the elderly with children who said there was a time they needed help from their children and didn't get it



Concerns About Costs and Future Health Care Needs

Difficulties Meeting Regular Expenses


Percent of the elderly who say it is "extremely" or "somewhat" difficult to meet regular expenses



Elderly Adults


Difficulties Paying Medical Bills

Percent of the elderly who had problems paying medical bills in the past year



Difficulties Affording Prescription Medications

Percent of the elderly who did not fill a prescription for financial reasons




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults


Concerns About the Impact of Health Problems

Percent of the elderly who are "very concerned" they will have to leave the place they are living now because of health problems




Concerns About Becoming a Burden on Family

Percent of the elderly who are "very concerned" they will become a burden on their family




Concerns About the Cost of Long-Term Care

Percent of the elderly who are "very concerned" they will not have enough money or insurance to pay for the long-term care services they will need



Concerns About Paying for Needed ³⁹ Care

Percent of the elderly who are "very concerned" they will not be able to pay for the medical care they need




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults

Disadvantaged Groups: The Poor Elderly


Difficulty Meeting Regular Expenses

Percent of the elderly with difficulty meeting regular expenses




Ability to Afford Health Care

Percent of the elderly who had problems paying their medical bills in the past year




Perceived Quality of Care

Percent of the elderly who rated the medical care they received in the past year as "excellent"




Ratings of Hospital Experience

Percent of the elderly who had been hospitalized in the past two years and rated the overall experience as "excellent"



Ability to Afford Prescription Medications


Percent of the elderly who could not afford to fill a prescription in the past year



Elderly Adults


Receipt of Home Health Services

Percent of the elderly who have needed and received home health services



Caregivers Who Receive Additional ⁴⁷ Help


Percent of elderly caregivers whose care recipient received paid home health care



Elderly Adults

Concern About the Affordability of Long-Term Care

Percent of the elderly who are "very concerned" that they will need long-term care and will be unable to pay for it




The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults

Concern About Being Unable to Pay for Needed Care

Percent of the elderly who are "very concerned" that they will have large medical expenses and will be unable to pay for needed care Below Average Income




Views of the System

The Elderly's View of Their Health Care System

	Australia	Canada	New Zealand	United Kingdom	United States
System works well- only minor changes needed	34%	38%	22%	39%	25%
Some good things but fundamental change is needed	38%	40 %	45 %	44%	44%
System has so much wrong it needs complete rebuilding	24%	18 %	31%	15%	26 %

The Commonwealth Fund 1999 International Health Policy Survey


Percent of the Elderly Population Saying Their Health Care System Needs to Be Completely Rebuilt



Elderly Adults

Perceptions of Recent Changes in the Quality of Medical Care for the Elderly


Percent of the elderly saying that medical care for the elderly is better/worse compared with five years ago



Comparisons of Care Experiences for the Under and Over Age 65 Populations in Five Nations

Difficulty Getting Needed Care

Percent who felt it was "extremely," "very," or "somewhat" difficult to get needed medical care




* The age break in New Zealand is "under age 70" and "age 70 and over."

The Commonwealth Fund 1999 International Health Policy Survey

Worries About Not Being Able to Afford Needed Care

Percent who are "very worried" that if they become seriously ill, they will not be able to get the medical care they need because they cannot afford it Under Age 65




* The age break in New Zealand is "under age 70" and "age 70 and over."

The Commonwealth Fund 1999 International Health Policy Survey

Elderly Adults

Views of the Health Care System

Percent who think their health care system has so much wrong with it that it needs to be completely rebuilt



* The age break in New Zealand is "under age 70" and "age 70 and over."

The Commonwealth Fund 1999 International Health Policy Survey

Methodology

- The Commonwealth Fund 1999 International Health Policy Survey of the Elderly consisted of telephone interviews with 3,515 with adults age 65 or older regarding their health care experiences and related concerns in five countries: Australia, Canada, New Zealand, the United Kingdom and the United States. Sample sizes in each country were 701, 700, 700, 714 and 700 respectively. The survey was commissioned by The Commonwealth Fund and conducted by Harris Interactive, Inc. and their international affiliates from April to June 1999.
- Researchers from the Harvard School of Public Health, Harris Interactive and the Commonwealth Fund collaborated in the design of the common survey instrument that was administered in all countries. Several measures were taken or adapted from prior instruments developed for prior international health surveys. Instruments were reviewed by health care experts in all nations and presented in each nation. The average length of survey administration was 12 minutes in each of the five nations.